## INDEX TO STATISTICS OF MORTALITY.

## PART II.

	Table.	Page.		Table.	Page.
A.  Abdomen, Head, Face and Neck, Mouth, Tongue and Throat, Rectum, Upper Extremities, Lower Extremities,	XLVI	617–623	Age, Sex, and Civil Condition, Deaths from Cancer in the United States and in each Grand Group, with distinc- tion of.	XL	567-57
and other localities, Deaths from Cancer of, with distinc- tion of Color and Sex, and Cities and Rural Districts.			Age, Sex, and Color, Population of Grand Groups speci- fied by.	LXII	750-76
Abortion, Child-birth, Puerperal Septicæmia, and Still- birth, as causes of death.	}	lxx-   lxxvi	Age, Sex, and Month of Death, Deaths reported by the Census enumerators in Massachusetts, exclusive of Bos-	LII	649-651
Accidents and Injuries as causes of death		xcii-xciv	ton, with distinction of; also those reported by the reg-		
After-Life Time, Mean (Expectation of Life), at various	LXVI	789-791	istration system of the State.		
ages, based upon the Mortality of England and Wales		1	Age, Sex, and Month of Death, Deaths reported by the	LIII	653-658
in 1876-'80, and of Massachusetts and New Jersey during Census year.			Census enumerators, with distinction of in New Jersey; also those reported by the registration system of the		
Age and Group of Ages, Deaths at each, in 1000 deaths	XXXVII	547-549	State.		
of each sex from Cancer, of which the ages are known,			Age, Sex, and Nativity, and of Color in certain Grand	XLIII	589-597
in the United States and in each Grand Group, with		į	Groups, Deaths from Cancer of the Breast in the United		
distinction of Color in certain Grand Groups.			States, and in each Grand Group, with distinction of.		
Age and Group of Ages, Deaths from Cancer at each, in the United States and in each Grand Group of certain	XXXIX	561-565	Age, Sex, and Nativity, and of Color in certain Grand	XLIV	599-607
specified Nativities, in 1000 deaths from cancer of which			Groups, Deaths from Cancer of the Liver in the United States, and in each Grand Group, with distinction of.		
the ages are known.			Age, Sex, and Nativity, and of Color in certain Grand	XLII	570-587
Age and Sex, Deaths from Cancer in the United States and	XXXV	537~541	Groups, Deaths from Cancer of the Stomach in the		· .
in each Grand Group, with distinction of.			United States and in each Grand Group, with distinc-		1
Age (1x), Approximate Table showing numbers surviv-	LXV	789-791	tion of.	***	
ing at each, for England and Wales, Massachusetts and New Jersey, as computed by Mr. Humphrey's method,			Age, Sex, and selected Nativities, and of Color, in 1000 deaths of Cancer of the Breast of persons of all known	XLVIII	625-627
with distinction of Sex.			ages, Deaths from Cancer of the Breast in the United		
Age, Color, and Sex, Deaths from Cancer in certain Grand	XXXVI	548-545	States and in certain Grand Groups, with distinction of.		
Groups, with distinction of.			Age, Sex, and selected Nativities, and of Color, in 1000	XLIX	629-031
age, Color, Sex, and Month of Death, and, in some cases,	XXII	441-473	deaths of Cancer of the Liver of persons of all known		
of Parentage, Total number of deaths from all causes			ages, Deaths from Cancer of the Liver in the United		
registered in 31 large cities of the United States during the Census year, with distinction of		i	States and in certain Grand Groups, with distinction of.  Age, Sex, and selected Nativities, and of Color, in 1000	XLVII	625-627
ge, Grand Groups, Sex, Color, Parentage, and Month of	IIIXXX	495-517	deaths of Cancer of the Stomach of persons of all known	MILYL	020-021
Death, Deaths from Diphtheria in the United States re-			ages, Deaths from Cancer of the Stomach in the United		
ported during the Census year. with exclusion of 50 se-	}		States and in certain Grand Groups, with distinction of.		
lected cities (for names of cities see Introd., Part II, p.			Age, Sex, and specification of Occupation, Deaths from	XLI	575-57 <b>7</b>
evi), with distinction of.	XLV	609-615	Cancer in the United States, with distinction of.	XXXIV	E10 E0E
ge, Nativity, and of Color in certain Grand Groups, Deaths from Cancer of the Uterus in the United States	ДПА	002-015	Age, Sex, Color, Parentage, and Month of Death and Grand Groups, Deaths from Diphtheria for 50 selected cities	AAAIY	519-535
and in each Grand Group, with distinction of.			(for names of cities see Introd., Part II, p. cvi), reported		ds.
ge, Nativity, and Sex, Deaths from Cancer in the United	IIIAXXX	551-559	during the Census year, with distinction of.		٠.
States and in each Grand Group, with distinction of.			Age, Sex, Color, Parentage, and Month of Death, Deaths	) ·	
ge,—Number of deaths for certain Grand Groups, and the	XXI	437-439	from certain specified diseases registered in 31 large	XXIII-	} 475-498
sum thereof, with distinction of Sex and Color, at each age and group of ages in 1000 deaths of which the ages		ļ	cities of the United States (for names of cities see p. 441) during the Census year, with distinction of.	XXXII	,
are known.		į	Ages, certain groups of, Deaths from certain specified	xiv	185-845
ge.—Number of deaths for certain Grand Groups, and the	XX	493-435	diseases and classes of diseases, with Month of Death,		
sum thereof, with distinction of Sex, and Irish and Ger-	j		Sex, and.		
man parentage, at each age and group of ages in 1000			Ages, known, Deaths in each 1000 deaths at, with dis-	XVII	375-385
deaths of which the ages are known.	_	690 coa	tinction of Sex, by States and State Groups.		وسائم او
ge, selected Nativities, and Color in 1000 deaths of Can- cer of the Uterus of persons of all known ages, Deaths	L	629-631	Ages specified.—Population Births, and number of	LΙV	cl-clvii 657-659
from Cancer of the Uterus in the United States and in	İ		Women from 15 to 49 years of age in the United States		001-000
certain Grand Groups, with distinction of.	ļ	.	and in each Grand Group, with distinction of Sex and, in		
ge, Sex, and Cause, Deaths in each 1000 deaths at known	ZVI	365-373	certain cases, of Color; ratios of Births to population,		
ages, classified by.		il	and also to women of the ages specified.		

	-Table.	Page.	-	Table.	Page.
Ages specified.—Population, Births, and number of	LV	664-668	Boston, Deaths in Massachusetts, exclusive of, reported	LII	049-65
Women from 15 to 49 years of age in the United States	1		by the registration system of the State; also those re-		010-00
and in each State and State Group, with distinction of			ported by the Census enumerators, with distinction of		
Sex and, in certain cases, of Color; ratios of Births to	1	1	Sex, Age, and Month of Death.	1	1
population, and also to women of the ages specified.			Breast, Deaths from Cancer of, in the United States and	XLVIII	025-62
Ages, various, Mean After-Life Time (Expectation of	LXVI	789-791	in certain Grand Groups, with distinction of Age, Sex,		
Life) at, based upon the Mortality of England and Wales			and selected Nativities, and of Color, in 1000 deaths of	1	
in 1876-'80, and of Massachusetts and New Jersey, dur- ing Census year.			cancer of the breast of persons of all known ages.	****	
Ages, with Sex at each period of life, of the aggregate	LVII	673-689	Breast, Deaths from Cancer of, in the United States, and in each Grand Group, with distinction of Age, Sex, and	XLIII	589-59
population of the United States, at the Census of 1880,	LVII	070-009	Nativity, and of Color in certain Grand Groups.		j
with the number of certain ages and groups of ages			Bronchitis as a cause of death		clxxxiii-
in 100,000 of all ages, by States and Territories.	ļ		Bronchitis as a cause of death		I lxxx
Ages, with Sex at each period of life, of the Colored popu-	LXI	743-757	BrooklynApproximate Life Tables for Massachusetts,	LXIV	771-78
lation of the United States, at the Census of 1880, with			New Jersey, the District of Columbia, and for the cities	,	
the number of certain ages and groups of ages in 100,000			of Baltimore, Boston, Brooklyn, Charleston, Chicago,		1.
of all ages, by States and Territories.			Cincinnati, New Orleans, New York, Philadelphia, San		
Ages, with Sex at each period of life, of the Foreign-born	LX	727-741	Francisco, and Saint Louis.		
White population of the United States, at the Census			· • • • • • • • • • • • • • • • • • • •		1
of 1880, with the number of certain ages and groups of			Cancer as a cause of death.		{ cviii-
ages in 100,000 of all ages, by States and Territories.			Company Doubles from at analysis and a		cxxxii
Ages, with Sex at each period of life, of the Native White	LIX	709–725	Cancer, Deaths from, at each age and group of ages in	XXXVII	547-549
population of the United States, at the Census of 1880,			1000 deaths of each sex, of which the ages are known, in the United States and in each Grand Group, with dis-		ł
with the number of certain ages and groups of ages in			tinction of Color in certain Grand Groups.	Ì	
100,060 of all ages, by States and Territories.  Ages, with Sex at each period of life, of the population of	7 777	000 071	Cancer, Deaths from, in certain Grand Groups, with dis-	VVVVT	510 515
the United States, at the Census of 1880, in the aggre-	ΓΔΙ	669-671	tinction of Color, Sex, and Age.	XXXVI	543-545
gate, with Nativity and Race, with the numbers of cor-			Cancer, Deaths from, in the United States and in each	XXXIX	561-565
tain ages and groups of ages in 100,000 of all ages and of			Grand Group of certain specified Nativities, at each age	AAAIA	201-202
each race.			and group of ages in 1000 deaths from cancer of which		
Ages, with Sex at each period of life, of the White popu-	LVIII	691-707	the ages are known.		
lation of the United States, at the Census of 1880, with		552  01	Cancer, Deaths from, in the United States and in each	xxxv	537-541
the number of certain ages and groups of ages in 100,000			Grand Group, with distinction of Age and Sex.		001041
of all ages, by States and Territories.			Cancer, Deaths from, in the United States and in each	ХL	567-578
Alcoholism and Venereal diseases as causes of death	•••••	lxvi, lxvii	Grand Group, with distinction of Age, Sex, and Civil		
Apoplexy and Paralysis as causes of death		∫lxxviii.	Condition.		
		lxxx	Cancer, Deaths from, in the United States and in each	XXXVIII	551-559
Approximate Life Tables for Massachusetts, New Jersey,	LXIV	771-788	Grand Group, with distinction of Nativity, Sex, and Age.		
the District of Columbia, and for the cities of Baltimore,			Cancer, Deaths from, in the United States, with distinc-	XLI	575-577
Boston, Brooklyn, Charleston, Chicago, Cincinnati, New			tion of Sex, Age, and specification of Occupation.		
Orleans, New York, Philadelphia, San Francisco, and		'	Cancer of Head, Face and Neck, Abdomen, Mouth, Tongue	XLVI	617-623
Saint Louis.			and Throat, Rectum, Upper Extremities, Lower Ex-		
pproximate Table showing numbers surviving at each age $(1x)$ , for England and Wales, Massachusetts and	LXV	789–791	tremities, and other localities, Deaths from, with dis- tinction of Color and Sex, and Cities and Rural Districts.		
New Jersey, as computed by Mr. Humphrey's Method,			Cancer of the Breast, Deaths from, in the United States		
with distinction of Sex.		İ	and in certain Grand Groups, with distinction of Age,	XLVIII	625-627
B.			Sex, and selected Nativities, and of Color, in 1000 deaths		
altimore.—Approximate Life Tables for Massachusetts,	TYTY		of cancer of the breast of persons of all known ages.		
New Jersey, the District of Columbia, and for the cities	LXIV	771788	Cancer of the Breast, Deaths from in the United States	XLIII	589-597
of Baltimore, Boston, Brooklyn, Charleston, Chicago,	·		and in each Grand Group, with distinction of Age, Sex,		000-001
Cincinnati, New Orleans, New York, Philadelphia, Saint			and Nativity, and of Color in certain Grand Groups.	i	
Louis, and San Francisco.			Cancer of the Liver, Deaths from, in the United States	XLIX	629-631
irths, and Deaths in Infancy, with statement of ratios in	LI	633-647	and in certain Grand Groups, with distinction of Age,		
the United States and in Grand Groups; also in States			Sex, and selected Nativities, and of Color, in 1000 deaths		
and State Groups, with distinction of Rural and Cities,			of cancer of the liver of persons of all known ages.		
and, in certain Grand Groups, of White and Colored.			Cancer of the Liver, Deaths from, in the United States	XLIV	599~607
irths, Birth Rates, and Life Tables		exl-cl	and in each Grand Group, with distinction of Age, Sex,		, ,
irths, Deaths, and Population, with statement of Ratios,	XIII	1–183	and Nativity, and of Color in certain Grand Groups.	.	
and Deaths from certain specified causes.		.	Cancer of the Stomach, Deaths from, in the United States	XLVII	625627
irths, Population, and number of Women from 15 to 49	LIV	657-659	and in certain Grand Groups, with distinction of Age,		
years of age, in the United States and in each Grand		1	Sex, and selected Nativities, and of Color, in 1000 deaths of cancer of the stemach of persons of all known ages.		
Group, with distinction of Sex, and, in certain cases, of			Cancer of the Stomach, Deaths from, in the United States		
Color; ratios of Births to population, and also to women of the ages specified.		- 1	and in each Grand Group, with distinction of Age, Sex,	XLII	579-587
irths, Population, and number of Women from 15 to 49			and Nativity, and of Color in certain Grand Groups.	j	
years of age, in the United States and in each State and	LΥ	661-668	Cancer of the Uterus, Deaths from in the United States	_	
State Group, with distinction of Sex, and, in certain cases,	-		and in certain Grand Groups, with distinction of Age	L	629-631
of Color; ratios of Births to population, and also to		· .	selected Nativities, and Color, in 1000 deaths of cancer		
women of the ages specified.	!		of the uterus of persons of all known ages.		
ones and Joints, Discases of the, as causes of Death	ĺ	voi voii	Cancer of the Uterus, Deaths from, in the United States	XLV	800 B1#
oston.—Approximate Life Tables for Massachusetts,	LXIV	xci, xcii 771–788	and in each Grand Group, with distinction of Age and	AUγ	609-615
New Jersey, the District of Columbia, and for the cities of	11A.1.Y	117-108	Nativity, and of Color in certain Grand Groups.		
	1	i	Canaga of Joseph		~iivxx
Battimore, Boston, Brooklyn, Charleston, Chicago, Cin.	. 1	. 1	Causes of death		,
Baltimore, Boston, Brooklyn, Charleston, Chicago, Cincinnati, New Orleans, New York, Philadelphia, Saint Louis, and San Francisco.			Causes of death		exxxvi

	Table.	Page.		Table.	Page.
Causes of death—continued.			Cities and Rural Districts, and Color and Sex, Deaths from	XLVI	617-628
Alcoholism and Venereal diseases		lxvi,lxvii	Cancer of Head, Face and Neck, Abdomen, Mouth,		
Apoplexy and Paralysis		liivzxl {	Tongue and Throat, Rectum, Upper Extremities, Lower Extremities, and other localities, with distinction of.		
Bronchitis		(lxxxiii-			ς xxii-
Bronenitis		lxxxv	Cities and Rural Districts, Mortality in		{ xxvii
Cancer		cviii-	Cities, selected, States and State Groups, number of deaths from each reported cause of death, by.	XVIII	387-427
Child-birth, Abortion, Puerperal Septicæmia, and Still- birth.	7	( lxx-	Civil Condition, Age, and Sex, Deaths from Cancer in the	XL	567-578
	1	lxxvi	United States and in each Grand Group, with distinc-		
Consumption		lviii-lxii	tion of. Color, Age, and selected Nativities, in 1000 deaths of	L	629-631
Deaths from certain specified causes		exxxiii	Cancer of the Uterus of persons of all known ages,	-	020-001
Diarrhoal diseases			Deaths from Cancer of the Uterus in the United States		
Diphtheria and Croup		{xxxviii- xlv	and in certain Grand Groups, with distinction of.  Color, Age, and Sex, and selected Nativities, in 1000 deaths	XLVII	625-627
Diseases of the Bones and Joints		1	of Cancer of the Stomach of persons of all known ages,	וויות	020-021
Diseases of the Digestive System		s lxxxvi-	Deaths from Cancer of the Stomach in the United States		
	İ	Uxxxviii	and in certain Grand Groups, with distinction of.		550 500
Diseases of the Female Organs of Generation		xc, xci ( lxxvi,	Color, Age, and Sex, Population of Grand Groups, speci- fied by.	LXII	759-763
Diseases of the Nervous System		lxxvii	Color, Age, Sex, and Month of Death, and, in some cases,	XXII	441-473
Diseases of the Respiratory System		ا الالالاز ال	of Parentage, Total number of deaths from all causes	.	
Diseases of the Urinary System and of the Male Organs of Generation.	,	lxxxiii	registered in 31 large cities of the United States during the Census year, with distinction of.		
of Generation.	}	Xc	Color and Age, Sex, and selected Nativities, in 1000 deaths	XLVIII	625-627
Enteric or Typhoid Fever		5 xxxii-	of Cancer of the Breast of persons of all known ages,		
Erysipelas		XXXV	Deaths from Cancer of the Breast in the United States		
			and in certain Grand Groups, with distinction of.  Color and Age, Sex, and selected Nativities, in 1000	XLIX	629-631
Heart Disease and Dropsy		lxix	deaths of Cancer of the Liver of persons of all known		
Hooping-cough			ages, Deaths from Cancer of the Liver in the United		
Hydrophobia		cxxxiii,	States and incertain Grand Groups, with distinction of Color and Sex, and Cities and Rural Districts, Deaths	XLVI	617-623
Lightning		cexxiv,	from Cancer of Head, Face and Neck, Abdomen, Mouth,		021 020
Ligating		{ cxxxv	Tongue and Throat, Rectum, Upper Extremities, Lower		
Malarial fevers		YXXX-	Extremities, and other localities, with distinction of.	XXI	437–439
Measles		liv-lvi	Color and Sex at each age and group of ages in 1000 deaths of which the ages are known, Number of deaths for certain		401-400
Mental diseases		ς lxxvii,	Grand Groups, and the sum thereof, with distinction of.		
	1	lxxviii	Color, Grand Groups, Sex, Age, Parentage, and Month of	IIIXXX	495-517
Mumps Old Age			Death, Deaths from Diphthenia in the United States reported during the Census year, with exclusion of 50	•	
Peritonitis			selected cities (for names of cities see Introd., Part II,		
Pleurisy		lxxxv,	p. evi), with distinction of.		
Pneumonia	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	lxxxvi lxii-lxv	Color in certain Grand Groups, and Age, Sex, and Nativ- ity, Deaths from Cancer of the Breast in the United	XLIII	589-597
Scarlet Fever		xxix-	States and in each Grand Group, with distinction of		
		xxxii	Color in certain Grand Groups, and Age, Sex, and Nativ-	XLIV	599-607
Scrofula and Tabes		lxv, lxvi xciv-	ity, Deaths from Cancer of the Liver in the United States and in each Grand Group, with distinction of.	ж	
Suicide		eviii	Color in certain Grand Groups, and Age, Sex, and Nativ-	XLII	579-587
Tetanus and Trismus Nascentium		S lxxx-	ity, Deaths from Cancer of the Stomach in the United		
		lxxxii	States and in each Grand Group, with distinction of	77.77	COD C1.
Charleston.—Approximate Life Tables for Massachusetts, New Jersey, the District of Columbia, and for the cities	LXIV	771–788	Color in certain Grand Groups, and Age and Nativity,  Deaths from Cancer of the Uterus in the United States	XLV	609-61
of Baltimore, Boston, Brooklyn, Charleston, Chicago,		1	and in each Grand Group, with distinction of.		
Cincinnati, New Orleans, New York, Philadelphia, Saint			Color in certain Grand Groups, Deaths at each age and	IIVXXX	547-549
Louis, and San Francisco. Chicago.—Approximate Life Tables for Massachusetts,	LXIV	771-788	group of ages in 1000 deaths of each sex from Cancer, of which the ages are known, in the United States and in	ļ	
New Jersey, the District of Columbia, and for the cities			each Grand Group, with distinction of.		
of Baltimore, Boston, Brooklyn, Charleston, Chicago,			Color.—Population, Births, and number of Women from	LIV	657-659
Cincinnati, New Orleans, New York, Philadelphia, Saint			15 to 49 years of age, in the United States and in each		
Louis, and San Francisco. Child-birth, Abortion, Puerperal Septicæmia, and Still-	7	c lxx-	Grand Group, with distinction of Sex and, in certain cases, of Color; ratios of Births to population, and to		
birth as causes of death.	}	lsxvi	women of the ages specified.		
Cincinnati.—Approximate Life Tables for Massachusetts,	LXIA	771-788	Color.—Population, Births, and number of Women from	LV	661-66
New Jersey, the District of Columbia, and for the cities of Baltimore, Boston, Brooklyn, Charleston, Chi-			15 to 49 years of age, in the United States and in each State and State Group, with distinction of Sex and, in		
cago, Cincinnati, New Orleans, New York, Philadelphia,			certain cases, of Color; ratios of Births to population,		
Saint Louis, and San Francisco. Cities and Rural.—Births, and Deaths in Infancy, with	LI	633-647	and also to women of the ages specified.		1
statement of ratios in the United States and in Grand			Color, Sex, Age, Parentage, and Month of Death, and Grand	XXXIV	519-53
Groups; also in States and State Groups, with distinc- tion of Rural and Cities, and, in certain Grand Groups,			Groups, Deaths from Diphtheria for 50 selected cities (for names of cities see Introd., Part II, p. cvi), reported dur-	i	1
of White and Colored.		1	ing the Census year, with distinction of.	1	

	Table.	Page.	:	Table.	Page.
Color, Sex, Age, Parentage, and Month of Death, Deaths	), , , , , , ,		Deaths from Cancer in certain Grand Groups, with distinc-	XXXVI	543-545
from certain specified diseases registered in 31 large cities of the United States (for names of cities see p. 441) dur- ing the Census year, with distinction of.	XXXII	475-493	tion of Color, Sex, and Age.  Deaths from Cancer in the United States and in each Grand Group, of certain specified Nativities, at each	XXXIX	501-565
Color, Sex, and Age, Deaths from Cancer in certain Grand Groups, with distinction of.	XXXVI	548-545	age and group of ages, in 1000 deaths from cancer of which the ages are known.		
Colored and WhiteBirths, and Deaths in Infancy, with statement of ratios in the United States and in Grand	LI	633-647	Deaths from Cancer in the United States and in each Grand Group, with distinction of Age and Sex.	XXXV	537-541
Groups; also in States and State Groups, with distinction of Rural and Cities, and, in certain Grand Groups,			Deaths from Cancer in the United States and in each Grand Group, with distinction of Age, Sex, and Civil Condition.	XL	507-573
of White and Colored.  Colored population of the United States, Ages, with Sex at each period of life, of, at Census of 1880, with the	LXI	748-757	Deaths from Cancer in the United States and in each Grand Group, with distinction of Nativity, Sex, and Age. Deaths from Cancer in the United States, with distinction	XXXVIII	551-559
number of certain ages and groups of ages in 100,000 of of all ages, by States and Territories.			of Sex, Age, and specification of Occupation.  Deaths from Cancer of Head, Face and Neck, Abdomen,	XLVI	575-577 617-623
Conclusions and Recommendations relative to Mortality and Vital Statistics.	}	clvii,	Mouth, Tongue and Throat, Rectum, Upper Extremities, Lower Extremities, and other localities, with distinc-	, ALVI	017-024
Condition, Civil, Age and Sex, Deaths from Cancer in the United States and in each Grand Group, with distinc-	XL	56 <b>7-</b> 573	tion of Color and Sex, and Cities and Rural Districts Deaths from Cancer of the Breast in the United States and	XTAIII	<b>625</b> –62 <b>7</b>
tion of. Consumption as a cause of death		lviii–lxii	in certain Grand Groups, with distinction of Age, Sex, and selected Nativities, and of Color, in 1000 deaths of		
Croup and Diphtheria as causes of death		xxxviii- xlv	cancer of the breast of persons of all known ages.  Deaths from Cancer of the Breast in the United States	xriii	589-597
Deaths at certain ages and groups of ages in 1000 deaths	xvı	365-373	and in each Grand Group, with distinction of Age, Sex, and Nativity, and of Color in certain Grand Groups.		
from the stated cause from which the ages are known, with distinction of Sex and specification of cause.			Deaths from Cancer of the Liver in the United States and in certain Grand Groups, with distinction of Age, Sex, and selected Nativities, and of Color, in 1000 deaths of	XLIX	629-631
Deaths at certain ages and groups of ages in 1000 deaths of which the ages are known, with distinction of Sex,	XVII	875-385	cancer of the liver of persons of all known ages.  Deaths from Cancer of the Liver in the United States and	XLIV	E00 007
by States and State Groups.  Deaths at each age and group of ages in 1000 deaths of each sex from Cancer, of which the ages are known, in	xxxvii	547-549	in each Grand Group, with distinction of Age, Sex, and Nativity, and of Color in certain Grand Groups.	ADIV.	599-607
the United States and in each Grand Group, with dis- tinction of Color in certain Grand Groups.			Deaths from Cancer of the Stomach in the United States and in certain Grand Groups, with distinction of Age,	XLVII	625-627
Deaths. Births, and Population, with statement of ratios, and deaths from certain specified causes.	XIII	1–183	Sex, and selected Nativities, and of Color, in 1-00 deaths of cancer of the stomach of persons of all known ages.		
Deaths for certain Grand Groups, and the sum thereof, with distinction of Sox, and Irish and German parentage,	XX	438-435	Deaths from Cancer of the Stomach in the United States and each Grand Group, with distinction of Age, Sex, and	XLII	579-587
at each age and group of ages, in 1000 deaths of which the ages are known.			Nativity, and of Color in certain Grand Groups.  Deaths from Cancer of the Uterus in the United States.	L <sub>.</sub>	629-631
Deaths from all causes, total number of, registered in 31 large cities of the United States during the Census year,	XXII	441-478	and in certain Grand Groups, with distinction of Age, selected Nativities, and Color, in 1000 deaths of cancer	,	
with distinction of Sex, Age, Color, and Month of Death, and, in some cases, of Parentage:			of the uterus of persons of all known ages.  Deaths from Cancer of the Uterus in the United States	XLV	609-615
Baltimore, Md		442, 443 442, 443	and in each Grand Group, with distinction of Age and Nativity, and of Color in certain Grand Groups.		
Brooklyn, N. Y Cambridge, Mass		444, 445 444, 445	Deaths from certain specified causes		cxxxii,
Camden, N. J		446, 447	Deaths from cortain specified causes, and population, births, and deaths, with statement of ratios.	XIII	1–183
Charleston, S. C.		446, 447	Deaths from certain specified diseases and classes of dis-	xıv	185-345
Chicago, III		448, 449 448, 449	eases, with Month of Death, Sex, and certain groups of ages.		
Cleveland, Ohio		450, 451 450, 451	Deaths from certain specified diseases registered in 31	) )	•
Indianapolis, Ind		452, 453	large cities of the United States (for names of cities see p. 441) during the Census year, with distinction of Sex,	LIXXXI	475-493
Jersey City, N. J Lawrence, Mass	l	452, 453 454, 455	Age, Color, Parentage, and Month of Death:	السما	
Louisville, Ky	l	451,455	Cholera Infantum	XXIII	476, 477
Lowell, Mass	1	456, 457	Croup	XXIV	476, 477
Lynn, Mass		456, 457	Diphtheria	XXV	480, 481 480, 481
Milwaukee, Wis		458, 450	Enteric Fever	XXVII	484, 485
Nashville, Tenn		458, 459	Hooping-cough	XXVIII	484, 485
New Orleans, La.		460, 461 460, 461	Measles	XXIX	488, 480
New York, N. Y		462, 463	Pneumonia	xxx	488, 489
Paterson, N.J		462, 463	Searlet Fever.	XXXI	492, 493
Philadelphia, Pa	. <b></b>	464, 465	Tetanus and Trismus.  Deaths from Diphtheria for 50 selected cities (for names of	XXXII	402, 493
Pittsburgh, Pa		464, 465	cities see Introd., Part II, p. evi) reported during the	XXXIV	519-535
Providence, R. I		466, 467	Census year, with distinction of Grand Groups, and of		
Richmond, Va	•••••	466, 467	Sex, Age, Color, Parentage, and Month of Death.		
San Francisco, Cal	•	468, 469	Deaths from Diphtheria in the United States reported dur-	IIIXXX	495517
Saint Louis, Mo		468, 469	ing the Census year, with exclusion of 50 selected cities		
Wilmington, De I.		470, 471 470, 471	(for names of cities see Introd., Part II, p. evi), with distinction of Grand Groups, Sex, Age, Color, Parentige,		
Worcester, Mass		472, 473		ı l	ŀ

1	Table.	Page.		Table.	Page.
Deaths from each cause in 1000 deaths of which the causes are known, with distinction of Sex.	xν	347-363	Diseases of the Norvous System as causes of death	******	lxxvi,
Deaths in each 1000 deaths at known ages, classified by Age, Sex, and Cause.	XVI	865-373	Diseases of the Respiratory System as causes of death		lxxxii,
Deaths in each 1000 deaths at known ages, with distinction	XVII	375–385	Diseases of the Urinary System and of the Male Organs of Generation as causes of death.		lxxxix, xo
of Sex, by States and State Groups.  Deaths in Infancy, and Births, with statement of ratios in the United States and in Grand Groups; also in States and State Groups, with distinction of Rural and Cities, and, in certain Grand Groups, of White and Colored.	LI	633-647	Ordeneration as calces of death.  District of Columbia, Massachusetts, and New Jersey (Approximate Life Tables for), and for the cities of Baltimore, Boston, Brooklyn, Charleston, Chicago, Cincinnati, New Orleans, New York, Philadelphia, Saint Louis,	LXIV	771~788
Deaths in, Massachusetts, exclusive of Boston, reported by the registration system of the State, also those reported by the Census enumerators, with distinction of Sex, Age, and Month of Death.	LIII	649-651 653-655	and San Francisco, Districts, Rural, and Cities, and Color and Sex, Deaths from Cancer of Head, Face and Neck, Abdomen, Mouth, Tongue and Throat, Rectum, Upper Extremities, Lower Extremities, and other localities, with distinction of,	XLVI	017-623
Deaths in New Jersey reported by the registration system of the State, also those reported by the Census enumerators, with distinction of Sex, Age, and Month of Death.	, 11111	000-000	Dropsy and Heart Disease as causes of death	,	lxvii–lxix
Deaths in 100,000 deaths from all causes, and total number of deaths due to certain specified diseases, 1880, 1870, 1800, and 1850.	XIX	429-432 185-345	England and Wales, Approximate Table showing numbers surviving at each age $(1x)$ for, and for Massachusetts and New Jersey, as computed by Mr. Humphrey's	LXV	789–791
Deaths in the United States during the Census year from certain specified diseases and classes of diseases, by Grand Groups, with distinction of Month of Death, Sex, and certain groups of ages:			method, with distinction of Sex.  England and Wales in 1876-'80, and Massachusetts and  New Jersey during Consus year, Mean After Life Time (Expectation of Life) at various ages, based upon the	LXVI	789-791
Grand Group 1.—North Atlantic Coast region  2.—Middle Atlantic Coast region		192-201 200-209	Mortality of.  Enteric or Typhoid Fever as a cause of death		xxxii-
3.—South Atlantic Coast region 4.—Gulf Coast region		208-217 216-223	Erysipelas as a cause of death		<pre></pre>
6.—Central Appalachian region		224-231 230-239	Expectation of Life (Mean After-Life Time) at various ages,	rxai	789-791
7.—Region of the Great Northern Lakes. 8.—The Interior Plateau		238-247 240-255	based upon the Mortality of England and Wales in 1876-'80, and of Massachusetts and New Jersey during Census Year. Extremities, Upper, Lower Extremities, Head, Face and	XLVI	617-623
10.—The Ohio Rivor Belt 11.—Southern Interior Plateau 12.—South Mississippi River Belt		254-263 262-271 270-277	Neck, Abdomen, Mouth, Tongue and Throat, Rectum, and other localities, Deaths from Cancer of, with dis- tinction of Color and Sex, and Cities and Rural Districts.		
13.—North Mississippi River Belt 14.—Southwest Central region		278–285 284–293	w.	,	
15.—Central region, plains and prairies  16.—The Prairie region  17.—Missouri River Belt  18.—Region of the Western Plains		292-301 300-309 308-315 316-323	Face and Neck, Head, Abdomen, Mouth, Tongue and Throat, Rectum, Upper Extremities, Lower Extremi- ties, and other localities, Deaths from Cancer of, with distinction of Color and Sex, and Cities and Rural Dis-	XLVI	617623
10.—Heavily-timbered region of the Northwest.		322–320 330–337	tricts.  Female Organs of Generation, Diseases of, as causes of		xe, xei
20.—Cordilleran region	XXI	336-345 437-439	death. Fever, Enteric or Typhoid, as a cause of death		xxxii-
Deaths, Number of, for certain Grand Groups, and the sum thereof, with distinction of Sex and Color, at each age and group of ages in 1000 deaths of which the ages	AAI	107-100	Fover, Scarlet, as a cause of death		iixxx }
are known. Deaths, Number of, from each reported cause of death, by	XVIII	387-427	Fevers, Malarial, as causes of death		xxxv-
States, State Groups, and selected Cities.  Deaths, Total number of, reported as due to certain specified, diseases and classes of diseases, and number of deaths from each cause in 100,000 deaths from all causes at the Censuses of 1880, 1870, 1860, and 1850.	XIX	429-432	Foreign-born White Population of the United States, Ages, with Sex at each period of life of, at Census of 1880, with the number of certain ages and groups of ages in 100,000 of all ages, by States and Territories.	LX	727-741
Diarrhœal diseases as causes of death	İ	xlvi-l clxxxvi-	G. Generation, Diseases of Female Organs of, as causes of	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	xe, xei
Digestive System, Diseases of, as causes of death  Diphtheria and Croup as causes of death		lxxxviii	death. Generation Diseases of Male Organs of, and of the	,	( lxxxix,
Diphtheria, Deaths from for 50 selected cities (for names of cities see Introd., Part II, p. ovi) reported during the Census year with distinction of Grand Groups, and of	XXXIV	519–535	Urinary System, as causes of death. German and Irish parentage, at each age and group of ages in 1000 deaths of which the ages are known, Number of deaths for certain Grand Groups and the sum thereof,	• xx	{ xe 433-435
Sex, Age, Color, Parentage, and Month of Death.  Diphtheria, Deaths from, in the United States reported during the Census year, with exclusion of 50 selected cities (for names of cities see Introd., Part II, p. cvi),	xxxIII	495-517	with distinction of Sex and of, Grand Groups, Color in certain, and Age, Sex, and Nativity, Deaths from Cancer in the United States, and in each	XLII	579 <b>–</b> 587
with distinction of Grand Groups, Sex, Age, Color, Farentage, and Month of Death.  Diseases of the Bones and Joints as causes of death			Grand Group, with distinction of.  Grand Groups, Color in certain, and Age, Sex, and Nativity,  Deaths from Cancer of the Breast in the United States,	XLIII	589-597
Diseases of the Digestive System as causes of death Diseases of the Female Organs of Generation as causes of		lxxxvi- lxxxviii xc, xci	and in each Grand Group, with distinction of. Grand Groups, Color in certain, and Age, Sex, and Nativity, Deaths from Cancer of the Liver in the United States and	XLIV	599-607
deith.	1	1	in each Grand Group, with distinction of.	ł	1

Grand Groups, Color in certain, and Age and Nativity, Deaths from Cancer of the Uterus in the United States and in each Grand Group, with distinction of. Grand Groups, Deaths from Cancer in certain, with dis- tinction of Color, Sex, and Age.	1	609-615			
Grand Groups, Deaths from Cancer in certain, with dis-			Groups of Ages.—Ages, with Sex at each period of life, of the Foreign-born White population of the United States, at the Census of 1880, with the number of certain	LX	727-741
	xxxvi	543-545	ages and groups of ages in 100,000 of all ages, by States and Territories.	,	-
Grand Groups, Deaths from Cancer in each, and in the United States, with distinction of Age and Sex.	xxxv	537-541	Groups of Ages.—Ages, with Sex at each period of life, of the Native White population of the United States, at	LIX	709-725
Grand Groups.—Deaths from Cancer in the United States and in each Grand Group of certain specified Nativities at each age and group of ages in 1000 deaths from cancer		561 565	the Census of 1880, with the number of certain ages and groups of ages in 100,000 of all ages, by States and Territories.		
of which the ages are known.  Frand Groups.—Deaths from Cancer in the United States and in each Grand Group, with distinction of Age, Sex, and Civil Condition.	1 1	567–573	Groups of Ages.—Ages, with Sex, at each period of life, of the population of the United States, at the Census of 1880, in the aggregate, with Nativity and Race, with the number of certain ages and groups of ages in	LVI	680-671
Grand Groups.—Deaths from Cancer in the United States and in each Grand Group, with distinction of Nativity,	XXXVIII	551-559	100,000 of all ages and of each race.  Groups of Ages.—Ages, with Sex, at each period of life,	LVIII	891-707
Sex, and Age.  Grand Groups, Deaths from Cancer of the Breast in the United States and in certain, with distinction of Age, Sex, and selected Nativities, and of Color, in 1000 deaths		625-627	of the White population of the United States, at the Census of 1880, with the number of certain ages and groups of ages in 100,000 of all ages, by States and Territories.		7
of cancer of the breast of persons of all known ages.  Grand Groups, Deaths from Cancer of the Liver in the United States and in certain, with distinction of Age, Sex, and selected Nativities, and of Color, in 1000 deaths		629-631	Groups of Ages.—Population of the United States and of each State and Territory by Sex, with the number per 1000 of each sex at certain ages and groups of ages.	LXIII	765-769
of cancer of the liver of persons of all known ages.  Grand Groups, Deaths from Cancer of the Stomach in the	771777	625-627	Head, Face and Neck, Abdomen, Mouth, Tongue and	XLVI	817 609
United States and in certain, with distinction of Ago, Sex; and selected Nativities, and of Color, in 1000 deaths of cancer of the stomach of persons of all known ages.		020-027	Throat, Rectum, Upper Extremities, Lower Extremities, and other localities, Deaths from Cancer of, with distinction of Color and Sex, and Cities and Rural Districts.	ALVI	617-623
Grand Groups, Deaths from Cancer of the Uterus in the United States and in certain, with distinction of Age,		629-631	Heart Disease and Dropsy as causes of death		lavii-
selected Nativities, and Color, in 1000 doubs of cancer of the uterus of persons of all known ages. Grand Groups, Number of deaths for certain, and the sum thereof, with distinction of Sex and Color, at each age and	XXI	437–439	Hooping-cough as a cause of death	LXV	li-liv 789-791
group of ages in 1000 deaths of which the ages are known. Grand Groups, Number of deaths for certain, and the sum thereof, with distinction of Sex, and Irish and German parentage, at each age and group of ages in 1000 deaths	XX	433–435	distinction of Sex.  Hydrophobia as a cause of death		cxxxiii,
of which the ages are known.  Grand Groups.—Population, Births, and number of Women from 15 to 49 years of age, in the United States and in each Grand Group, with distinction of Sex and,		657-659	Infancy, Deaths in, and Births, with statement of ratios in the United States and in Grand Groups; also in States and State Groups, with distinction of Rural and Citics, and, in certain Grand Groups, of White and Colored.	ĽI	633-647
in certain cases, of Color, ratios of Births to population, and also to women of the ages specified.		-	Injuries and Accidents as causes of death	77	xcii-xciv 433-435
Grand Groups, Population of, specified by Age, Sex, and Color.	LXII	759-763	Irish and German parentage, at each age and group of ages in 1000 deaths of which the ages are known, Num-	XX	489-480
Grand Groups, ratios in, and in the United States, Births and Deaths in Infancy, with statement of; also, in States		633-647	ber of deaths for certain Grand Groups, and the sum thereof, with distinction of Sex and of.		
and State Groups, with distinction of Rural and Cities and, in certain Grand Groups, of White and Colored.	,,		J.  Joints and Bones, Diseases of the, as causes of death		xci, xcii
Grand Groups, Sex, Age, Color, Parentage, and Month o Death, Deaths from Diphtheria for 50 selected cities (fo	ŧ	519-535	L.		
names of cities see Introd., Part II, p. evi) reported during the Census year, with distinction of.	1		Life Tables, Approximate, for Massachusetts, New Jersey, the District of Columbia, and for the cities of Bal-	LXIV	771–788
Grand Gronps, Sex, Age, Color, Perentage, and Month o Death, Deaths from Diphtheria in the United States re ported during the Census year, with exclusion of 50 se	•	495–517	timore, Boston, Brooklyn, Charleston, Chicago, Cincinnati, New Orleans, New York, Philadelphia, Saint Louis, and San Francisco.		
lected cities (for names of cities see Introd., Part II, p cvi), with distinction of.	1		Life Tables, Births, and Birth Rates Life Tables, Discussion of		exl-el
Grand Groups, with distinction of Color in certain, Death at each age and group of ages in 1000 deaths of each	i i	547-549	Lightning as a cause of death		cxxxiv,
sex from Cancer, of which the ages are known, in the United States and in each Grand Group.	}		Liver, Deaths from Cancer of, in the United States and in certain Grand Groups, with distinction of Age, Sex, and	XLIX	629-631
Groups of Ages.—Ages, with Sex at each period of life of the aggregate population of the United States, at the	3 4	678-689	selected Nativities, and of Color, in 1600 deaths of can- cer of the liver of persons of all known ages. Liver, Deaths from Cancer of, in the United States and in	XLIV	599-007
Census of 1880, with the number of certain ages and groups of ages in 100,000 of all ages, by States and Territories.	I .		each Grand Group, with distinction of Age, Sex, and Nativity, and of Color in certain Grand Groups.		
Groups of Ages.—Ages, with Sex at each period of life of the Colored population of the United States, at the	. 1	743~757	Locality in relation to deaths		xi-xxvii xi
Census of 1886, with the number of certain ages and	•		2.—Middle Atlantic Coast region 3.—South Atlantic Coast region		xii xii

	Table.	Page.		Table.	Page.
Locality in relation to deaths—Continued.			Month of Death, Sex, Age, Color, and Parentage, and Grand	XXXIV	519-53
Grand Group 5Northeastern Hills and Plateaus		. xiii	II		
6.—The Central Appalachian region	1	1	1 1 1 1		!
7.—Region of the Great Northern Lakes	ı	1		1	ĺ
8.—The Interior Plateau		1	Month of Death, Sex, Age, Color, and Parentage, Deaths	1)	
9.—Southern Central Appalachian re-	•••••	xv, xvi	from certain specified diseases registered in 31 large	XXIII-	3 475-40
gion. 10.—The Ohio River Belt			cities of the United States (for names of cities see p 441)	XXXII	S
11.—Southern Interior Plateau			during the Census year, with distinction of.		ļ.  ,
12—South Mississippi River Belt		1	Morbidity or Sick Rates		cxxxvi-
		, vvii	Mortality of England and Wales in 1876-'80, and of Massa-	LXVI	789-79
13.—North Mississippi River Belt		xviii	chusetts and New Jersey during Census year, Mean	LAVI	100-10
14.—Southwest Central region		1		j	
15.—Central region, plains and prairies	l .	1	based upon.		•
16.—The Prairie region	li .	zix	Mouth, Head, Face and Neck, Abdomen, Tongue and	XLVI	617-628
17.—The Missouri River Belt		xix, xx	Throat, Rectum, Upper Extremities, Lower Extremities.		
18.—Region of the Western Plains		. xx	1		
19.—Heavily timbered region of the		xxi	tion of Color and Sex and Cities and Rural Districts.	ŀ	
Northwest.			Mumps as a cause of death		lvii
20.—The Cordilleran region		xxi, xxii			
21.—Pacific Coast region		xxii	N.		
Lower Extremities, Upper Extremities, Head, Face and	XLVI	617-623	Native White population of the United States, Ages, with	LIX	709-725
Neck, Abdomen Mouth, Tongue and Throat, Rectum,			Sex at each period of life, of, at the Census of 1880, with	III.	100-140
and other localities, Deaths from Cancer of, with dis-			the number of certain ages and groups of ages in 100,000	1	
tinetion of Color and Sex, and Cities and Rural Districts.			of all ages, by States and Territories.	1	
PA.			Nativities, Deaths from Cancer in the United States and	XXXXX	561-565
Malarial Fevers as causes of death		{ xxxv-	in each Grand Group of certain specified Nativities at		
Male Organs of Generation, Diseases of, and of the Uri-		( xxxviii	each age and group of ages in 1000 deaths from cancer		
nary System, as causes of death.	}. <b></b>	S lxxxix,	of which the ages are known.	-	
Massachusetts and New Jersey, Approximate Table show-	LXV	ZC ZC	Nativities, selected, Age, and Color, in 1000 deaths of	L	629-631
ing numbers surviving at each age (1 x) for, and for	DAY	789-791	Cancer of the Uterns of persons of all known ages, Deaths	ł	
England and Wales, as computed by Mr. Humphrey's			from Cancer of the Uterus in the United States and in	1	
method, with distinction of Sex.			certain Grand Groups, with distinction of.		
Massachusetts and New Jersey during Census year, and	LXVI	789-791	Nativities, selected, Age, and Sex, and of Color, in 1000	* XLVIII	625-627
England and Wales in 1876-'80, Mean After-Life Time		100 .01	deaths of Cancer of the Breast of persons of all known		
(Expectation of Life) at various ages, based upon the			ages, Deaths from Cancer of the Breast in the United	-	
Mortality of.			States and in certain Grand Groups, with distinction of.		
Massachusetts, Approximate Life Tables for, for New Jer-	LXIV	771-788	Nativities, selected, Age, and Sex, and of Color, in 1000 deaths of Cancer of the Live: of persons of all known	XLIX	629-631
sey, the District of Columbia, and for the cities of Bal-			ages, Deaths from Cancer of the Liver in the United States		
timore, Boston, Brooklyn, Charleston, Chicago, Cincin-			and in certain Grand Groups, with distinction of.		
nati, New Orleans, New York, Philadelphia, Saint Louis,			Nativities, selected, Age, and Sex, and of Color, in 1000	XLVII	625-627
and San Francisco.			deaths of Cancer of the Stomach of persons of all known		
Massachusetts, Deaths in, exclusive of Boston, reported	LII	649-651	ages, Deaths from Cancer of the Stomach in the United		
by the registration system of the State; also those re-			States and in certain Grand Groups, with distinction of.	1	
ported by the Census enumerators, with distinction of Sex, Age, and Month of Denth.			Nativity, Age, and of Color in certain Grand Groups,	XLV	609-015
Mean After-Life Time (Expectation of Life) at various	7 7777	750 F05	Deaths from Cancer of the Uterus in the United States	1	
ages, based upon the Mortality of England and Wales	LXVI	789-791	and in each Grand Group, with distinction of.		
in 1876-'80, and of Massachusetts and New Jersey dur-			Nativity, Age, and Sex, and of Color in certain Grand	XLII	579-587
ing Census year.			Groups, Deaths from Cancer in the United States and	-	
Measles as a cause of death		liv-lvi	in each Grand Group, with distinction of.		
	**	( lxxvii,	Nativity, Age, and Sex, and of Color in certain Grand	XLIII	589-597
Mental diseases as causes of death		lxxviii	Groups, Deaths from Cancer of the Breast in the United States, and in each Grand Group, with distinction of.	1	
Month of Death, Age, and Sex, Deaths reported by the	LII	649-651	Nativity, Age, and Sex, and of Color in certain Grand	XLIV	599-607
Census enumerators in Massachusetts, exclusive of			Groups, Deaths from Cancer of the Liver in the United	ALLI	000-001
Boston, with distinction of; also those reported by the			States, and in each Grand Group, with distinction of.	.	
registration system of the State.			Nativity.—Ages, with Sex for each period of life, of the	LVI	669-671
Month of Death, Age, and Sex, Deaths reported by the Cen-	LIII	653-655	population of the United States, at the Census of 1880,		
sus enumerators, with distinction of, in New Jersey; also	· ·		in the aggregate, with Nativity and Race, with the		
those reported by the registration system of the State.			numbers of certain ages and groups of ages in 100,000		
Month of Death, Grand Groups, Sex, Age, Color, and Pa-	XXXIII	495–517	of all ages and of each race.		
rentage, Deaths from Diphtheria in the United States			Nativity, Sex, and Age, Deaths from Cancer in the United	XXXXIII	551-55)
reported during the Census year, with exclusion of 50			States, and in each Grand Group, with distinction of.		
selected cities (for names of cities see Introd., Part II, p. evi), with distinction of.			Neck and Face, Head, Abdomen, Month, Tongue and	XLVI	617-623
Jonth of Death, Sex, and certain groups of ages, Deaths	VID	195 945	Throat, Rectum, Upper Extremities, Lower Extremities,	1	
from certain specified diseases and classes of diseases,	XIV	185–845	and other localities, Deaths from Cancer of, with distinc-		
with.			tion of Color and Sex, and Cities and Rural Districts.	ا.	leent
fonth of Death, Sex, Age, Color, and, in some cases, of	xxn	441-478	Nervous System, Diseases of, as causes of death	}	lxxvi, lxxvii
Parentage, Total number of deaths from all causes reg-		111-110	New Jersey, Deaths in, reported by the registration system	LIII	653-05t
istered in 31 large cities of the United States during the			of the State; also those reported by the Consus enumera-		000-00 <b>0</b>
B. T C. C. C. C. C. C. C. C. C. C. C. C				4	

	Table.	Page.		Table.	Page.
New Jorsey and Massachusetts, and the District of Columbia, Approximate Life Tables for, and for the cities of Baltimore, Boston, Brooklyn, Charleston, Chicago, Cincinnati, New Orleans, New York, Philadelphia, Saint Louis, and San Francisco.	LXIV	771–788	Population, Births, and number of Women from 15 to 49 years of age, in the United States and in each Grand Group, with distinction of Sex and, in certain cases, of Color; ratios of Births to population, and also to women of the ages specified.	LIV	057-659
New Jersey and Massachusetts, Approximate Table showing numbers surviving at each age (1x) for, and for England and Wales, as computed by Mr. Humphrey's method, with distinction of Sex.  New Jersey and Massachusetts during Census year, and	LXVI	789-791 789-791	Population, Births, and number of Women from 15 to 49 years of age in the United States, and in each State and State Group, with distinction of Sex and, in certain cases, of Color; ratios of Births to population, and also to women of the ages specified.	ĽΥ	661-668
England and Wales in 1870-'80, Mortality of, Mean After- Life Time (Expectation of Life) at various ages, based		100-121	Population of Grand Groups specified by Age, Sex, and Color.	LXII	759-763
upon. Now Orleans.—Approximate Life Tables for Massachusetta, New Jersey, the District of Columbia, and for the cities of Baltimore, Boston, Brooklyn, Charleston, Chi-	LXIV	771–788	Population of the United States and of each State and Territory by Sex, with the number per 1000 of each sex at certain ages and groups of ages. Puorperal Septicamia, Child-birth, Abortion, and Still-	}	765-769
cago, Cincinnati, New Orleans, New York, Philadelphia, Saint Louis, and San Francisco.			birth as causes of death.	[	lxxvi
New York.—Approximate Life Tables for Massachusetts, New Jersey, the District of Columbia, and for the cities of Baltimore, Boston, Brooklyn, Charleston, Chicago, Cincinnati, New Orleans, New York, Philadelphia, Saint Louis, and San Francisco. Number of deaths from each reported cause of death, by	XAIII	771-788	Race.—Ages, with Sex for each period of life, of the population of the United States, at the Census of 1880, in the aggregate, with Nativity and Race, with the numbers of certain ages and groups of ages in 100,000 of all ages and of each race.	LVI	669-671
States, State Groups, and selected Cities.  Numbers rurviving, Approximate Table showing, at each age (1x) for England and Wales, Massachusetts and	LXV	780-701	Ratios, in the United States and in Grand Groups, Births, and Deaths in Infancy, with statement of; also in States and State Groups, with distinction of Rural and Cities,	LI	633-647
New Jersey, as computed by Mr. Humphrey's method, with distinction of Sex.  O.			and, in certain Grand Groups, of White and Colored. Ratios of Births to Population.—Population, Births, and number of Women from 15 to 49 years of age, in the United States and in each Grand Group, with distinction	LIV	<b>6</b> 57-65 <b>9</b>
Occupation, specification of, Age and Sex, Deaths from Cancer in the United States, with distinction of. Old Age as a cause of death	1	575-577 li	of Sex, and, in certain cases, of Color; ratios of Births to population, and also to women of the ages specified. Ratios of Births to Population.—Population, Births, and	LV	661-668
Organs of Generation, Diseases of, and of the Urinary System, as causes of death. Organs of Generation, Diseases of Female, as causes of death.		xc, xci	number of Women from 15 to 49 years of age, in the United States and in each State and State Group, with distinc- tion of Sex and, in certain cases, of Color; ratios of Births to population, and also to women of the ages specified.		
Ρ.		.1	Ratios.—Population, Births and Deaths, with statement of ratios and deaths from cortain specified causes.	XIII	1-183
Paralysis and Apoplexy as causes of death		lxxx    lxxx	Recommendations and Conclusions relative to Mortality and Vital Statistics.	}{	clvii clvi.l
Parentage, Grand Groups, Sex, Age, Color, and Month of Death, Deaths from Diphtheria in the United States reported during the Census year, with exclusion of 50 selected cities (for names of cities see Introd., Part II, p. cvi), with distinction of.	XXXIII	495-517	Rectum, Head, Face and Neck, Abdomen, Mouth, Tongue and Throat, Upper Extremities, Lower Extremities, and other localities, Deaths from Cancer of, with distinction of Color and Sex, and Cities and Rural Districts.	XLVI	617-623
Parentage, Irish and German, at each age and group of ages in 1000 deaths of which the ages are known, Number of deaths for certain Grand Groups, and the	xx	433-435	Registration system of the State, Deaths reported by, in Massachusetts, exclusive of Boston, also those reported by the Census enumerators, with distinction of Sex, Age, and Month of Death.	LII	649-651
sum thereof, with distinction of Sex and Parentage, Sex. Age, Color, and Month of Death, and Grand Groups, Deaths from Diphtheria for 50 selected	XXXIV	519-535	Registration system of the State, Deaths reported by, in New Jersey, also those reported by the Census enume- rators, with distinction of Sex, Age, and Month of Death.	LIII	<b>65</b> 3-653
cities (for names of cities see Introd., Part II, p. cvi) reported during the Census year, with distinction of.			Respiratory System, Diseases of, as causes of death		lxxxii, lxxxiii
Parentage, Sex, Age, Color, and Month of Death, Deaths from certain specified diseases registered in 31 large cities of the United States (for names of cities see p.	XXXII-	} 475-493	Rural and Cities.—Births, and Deaths in Infancy, with statement of ratios in the United States and in Grand Groups, also in States and State Groups, with distinc-	LI	633-647
441) during the Census year, with distinction of.  Parentage.—Total number of deaths from all causes registered in 31 large cities of the United States during the	XXII	441–473	tion of Rural and Cities, and, in certain Grand Groups, of White and Colored. Rural and Urban Mortality		xxii-
Census year, with distinction of Sex, Age, Color, and Month of Death, and, in some cases, of Parentage.  Peritonitis as a cause of death.		lxxxviii	Rural Districts and Cities, and Color and Sex, Deaths from Cancer of Head, Face and Neck, Abdomen, Month,	XLVI	617-623
Philadelphia.—Approximate Life Tables for Massachusetts, New Jersey, the District of Columbia, and for the cities of Baltimore, Boston, Brooklyn, Charleston, Chicago Cinciuncti New Orleans, New York, Bilder,	LXIV	771–788	Tongue and Throat, Rectum, Upper Extremities, Lower Extremities, and other localities, with distinction of. Rural Districts and Cities, Mortality in		xxii- xxvii
Chicago, Cincinnati, New Orleans, New York, Philadelphia, Saint Louis, and San Francisco.		'	s.		
Pleurisy as a cause of death  Pneumonia as a cause of death		lxxxv, lxii-lxv	Saint Louis.—Approximate Life Tables for Massachusetts, New Jersey, the District of Columbia, and for the cities of Baltimore, Boston, Brooklyn, Charleston, Chicago,	LXIV	771–758
Population, Births and Deaths, with statement of ratios, and deaths from certain specified causes.	XIII	1-183	Cincinnati, New Orleans, New York, Philadelphia, Saint		

	Table.	Page.		Table.	Page.
San Francisco.—Approximate Life Tables for Massachusetts, New Jersey, the District of Columbia, and for the cities of Baltimore, Boston, Brooklyn, Charleston,	LXIV	771–788	Sex and Color at each age and group of ages in 1000 deaths of which the ages are known, Number of deaths for certain Grand Groups, and the sum thereof, with	XXI	437-439
Chicago, Cincinnati, New Orleans, New York, Philadelphia, Saint Louis, and San Francisco.  Scarlet Fever as a cause of death		xxix-	distinction of.  Sex, and Irish and German parentage, at each age and group of ages in 1000 deaths of which the ages are	xx	433-435
Scrofula and Tabes as causes of death	 	lxv, lxvi	known, Number of deaths for certain Grand Groups,		
Selected Nativities, Age, and Sex, and of Color, in 1000 deaths of Cancer of the Breast of persons of all known ages, Deaths from Cancer of the Breast in the United	XLVIII	625-627	and the sum thereof, with distinction of.  Sex, Appreximate Table showing numbers surviving at each age (1x) for England and Wales, Massachusetts and New Jersey, as computed by Mr. Humphrey's	LXV	789-791
States and in certain Grand Groups, with distinction of. Selected Nativities, Age, and Sex, and of Color, in 1000 deaths of Cancer of the Liver of persons of all known ages, Deaths from Cancer of the Liver in the United	XLIX	629-681	method, with distinction of.  Sex at each period of life, Ages, with, of the Colored population of the United States, at the Census of 1880, with	LXI	748-757
States and in certain Grand Groups, with distinction of. Sex, Age, and Cause, Deaths in each 1000 deaths at known	XVI	865-878	the number of certain ages and groups of ages in 100,000 of all ages, by States and Territories.		
ages, classified by . Sex, ${\bf Age},$ and Civil Condition, Deaths from Cancer in the	XL	567-573	Sex at each period of life, Ages, with, of the Foreign-hurn White population of the United States, at the Census of 1880, with the number of certain ages and groups of	LX	72 <b>7-</b> 741
United States and in each Grand Group, with distinc- tion of.			ages in 100,000 of all ages, by States and Territories. Sex at each period of life, Ages, with, of the Native	LIX	70Ω <b>–7</b> 25
<ul><li>Sex, Age, and Color, Population of Grand Groups, specified by.</li><li>Sex, Age, and Month of Death, Deaths reported by the</li></ul>	LII	759-763 649-651	White population of the United States, at the Census of 1880, with the number of certain ages and groups of		100-120
Census enumerators in Massachusetts, exclusive of Boston, with distinction of; also those reported by the registration system of the State.		010 001	ages in 100,000 of all ages, by States and Territories. Sex at each period of life, Ages, with, of the White population of the United States, at the Census of 1880, with	LVIII	691-707
Sex, Age, and Month of Death, Deaths reported by the Census enumerators, with distinction of, in New Jersey, also those reported by the registration system of the	LIII	658–655	the number of certain ages and groups of ages in 100,000 of all ages, by States and Territories.  Sex, Color, and Age, Deaths from Cancer in certain Grand	xxxvi	548-545
<ul> <li>State.</li> <li>Sex, Age, and Nativity, and of Color in certain Grand Groups, Deaths from Cancer of the Breast in the United</li> </ul>	xLIII	589597	Groups, with distinction of.  Sex, Deaths at each age and group of ages in 1000 deaths of each, from Cancer, of which the ages are known, in	XXXVII	547-549
States, and in each Grand Group, with distinction of. Sex, Age, and Nativity, and of Color in certain Grand Groups, Deaths from Cancer of the Liver in the United	XLIV	599-607	the United States and in each Grand Group, with dis- tinction of Color in certain Grand Groups.  Sex, Deaths from each cause in 1000 deaths of which the causes are known, with distinction of.	xv	347-363
States and in each Grand Group, with distinction of.  Sex, Age, and Nativity, and of Color in certain Grand Groups, Deaths from Cancer of the Stomach in the	xın	579–587	Sex, Deaths in each 1000 deaths at known ages, with, distinction of, by States and State Groups.	XVII	8 <b>75</b> –385
United States and in each Grand Group, with distinction of.			Sex for each period of life, Ages, with, of the aggregate population of the United States, at the Census of 1880, with the number of certain ages and groups of ages in	LVII	678-689
Sex, Age, and selected Nativities, and of Color, in 1000 deaths of Cancer of the Breast of persons of all known ages, Deaths from Cancer of the Breast in the United States and in certain Grand Groups, with distinction of.	XLVIII	625-627	100,000 of all ages, by States and Territories.  Sex for each period of life, Ages, with, of the population of the United States, at the Census of 1880, in the ag-	<b>LV</b> I	669-671
Sex, Age, and selected Nativities, and of Color, in 1000 deaths of Cancer of the Liver of persons of all known ages, Deaths from Cancer of the Liver in the United	XLIX	<b>629–6</b> 31	gregate, with Nativity and Race, with numbers of cer- tain ages and groups of ages in 100,000 of all ages and of each race.		
States and in certain Grand Groups, with distinction of. Sex, Age, and selected Nativities, and of Color, in 1000	XLVII	625–627	Sex, Grand Groups, Age, Color, Parentage, and Month of Death, Deaths from Diphtheria in the United States re- ported during the Census year, with exclusion of 50	XXXIII	495–517
deaths of Cancer of the Stomach of persons of all known ages, Deaths from Cancer of the Stomach in the United States and in certain Grand Groups, with distinction of.			selected cities (for names of cities, see Introd., Part II, p. ovi.), with distinction of.		
Sex, Age, and epecification of Occupation, Deaths from	XLI	575-577	Sex, Month of Death, and certain groups of ages, Deaths from certain specified diseases and classes of diseases, with.	X1V	185–345
Cancer in the United States, with distinction of. Sex, Age, Color, and Month of Death, and, in some cases, of Parentage, Total number of deaths from all causes	XXII	441-473	Sex, Nativity, and Age, Deaths from Cancer in the United States and in each Grand Group, with distinction of.	XXXVIII	551-559
registered in 31 large cities of the United States during the Census year, with distinction of.			Sex.—Population, Births, and number of Women from 15 to 49 years of age, in the United States and in each Grand Group, with distinction of Sex and, in certain	LIV	657-659
Sex, Age, Color, Parentage, and Month of Death, and Grand Groups, Deaths from Diphtheria for 50 selected cities (for names of cities see Introd., Part II, p. cvi)	XXXIV	519-535	cases, of Color; ratios of Births to population, and also to women of the ages specified.		
reported during the Census year, with distinction of. Sex, Age, Color, Parentage, and Month of Death, Deaths from certain specified diseases registered in 31 large	XXII-	} 475-493	Sex.—Population, Births, and number of Women from 15 to 49 years of age, in the United States and in each State and State Group, with distinction of Sex and, in certain cases, of Color; ratios of Births to population,	LV	661-668
cities of the United States (for names of cities see p. 441) during the Census year, with distinction of. Sex and Age, Deaths from Cancer in the United States	XXXV	537-541	and also to women of the ages - pecified. Sex, Population of the United States and of each State and	LXIII	765–769
and in each Grand Group, with distinction of.  Sex and Color, and Cities and Rural Districts, Deaths from	XLVI	617-623	Territory by, with the number per 1000 of each sex at certain ages and groups of ages.  Sick Rates or Morbidity		exxxvi-
Cancer of Head, Face and Neck, Abdomen, Mouth, Tongue and Throat, Rectum, Upper Extremities, Lower Extremities, and other localities, with distinction of.			Specification of Occupation, Age, and Sex, Deaths from Cancer in the United States, with distinction of.	XLI	675-577

	Table.	Page.		Table.	Page
ecified causes, Death from certain		ç exxxii,	Summary for States, Groups, Cities, etc.—Continued.	-	
:	1	cxxxiii	Connecticut		18
ecified diseases and classes of diseases, with Month of	XIV	185-345	Dakota		20
Death, Sex, and certain groups of ages, Deaths from.			Delaware		20
ecified diseases, Deaths due to certain, and number of	XIX	429-432	District of Columbia		20
leaths in 100,000 deaths from all causes: 1880, 1670, 1860,			1		22
and 1850.			Georgia		24
ate and Territory, Population of the United States and	LXIII	765-769	Idaho		34
of each, by Sex, with the number per 1000 of each sex			Illinois		34
at certain ages and groups of ages.			Indiana		40
ates and State Groups.—Births, and Deaths in Infancy,	LI	633-647	Iowa		43
with statement of ratios in the United States and in			Kansas		5:
Frand Groups; also in States and State Groups, with			Kentucky		5
listinction of Rural and Cities, and, in certain Grand			Louisiana		. 6
Froups, of White and Colored.	,		Maine		7
te and State Groups, Deaths in each 1000 deaths at	XVII	875-385	Maryland		7
nown ages, with distinction of Sex; by.		-	Massachusetts		7
te and State Group, Population, Births, and number	ΓΔ	661-668	Michigan		7
f Women from 15 to 49 years of age in the United			Minnesota		8
tates and in each, with distinction of Sex and, in certain			Micsissippi		8
ases, of Color; ratios of Births to population, and also			Missouri		94
women of the ages specified.		.	Montana		100
tes and Territories Ages, with Sex at each period of	LVII	673-689	Nebraska		100
fe, of the aggregate population of the United States			Nevada		103
the Census of 1880, with the number of certain ages		·	New Hampshire		109
nd groups of ages in 100,000 of all ages, by States and			New Jersey		104
erritories.			New Mexico		10
tes and TerritoriesAges, with Sex at each period of	LXI	743-757	New York	1	100
fe, of the Colored population of the United States, at			North Carolina		115
e Census of 1880, with the number of certain ages			Ohio		123
nd groups of ages in 100,000 of all ages, by States and			Oregon	<b>1</b> i	128
erritories.		,	Pennsylvania		128
es and Territories.—Ages, with Sex at each period of	LX	727-741	Rhode Island		134
- · · · · · · · · · · · · · · · · · · ·	LA	121-141			ı
fe, of the Foreign-born White population of the United			South Carolina		134
tates, at the Census of 1880, with the number of cer-			Tennessee		140
in ages and groups of ages in 100,000 of all ages; by		į			148
tates and Territories.			Utah	1	150
tes and Territories.—Ages, with Sex at each period of	LIX	709-725	Vermont	t i	15
fe, of the Native White population of the United States,			Virginia		158
the Census of 1880, with the number of certain ages			Washington		168
nd groups of agos in 100,000 of all ages, by States and			West Virginia		168
erritories.			Wisconsin		170
es and Territories Ages, with Sex at each period of	LVIII	691-707	Wyoming		174
fe, of the White population of the United States, at			A.—The States and Territories presented together for		174
e Census of 1880, with the number of certain ages	11	·	comparison.		
nd groups of ages in 100,000 of all ages, by States and			B—The Cities presented together for comparison		. 180
erritories.			Surviving, numbers, at each age (1x), Approximat. Table	LXV	78
tes, State Groups, and selected Cities, Number of	XVIII ·	387-427	showing, for England and Wales, Massachusetts and		
aths from each reported cause of death, by.			New Jersey, as computed by Mr. Humphrey's method,		
l-birth, Abortion, Child-birth, and Puerperal Septi-		lxx-lxxvi	with distinction of Sex.		
emia as causes of death.	1 Sec. 19		System, registration, Deaths reported by, in Massachu-	LII	641
mach, Deaths from Cancer of, in the United States and	XLVII	625-627	setts, exclusive of Boston, also those reported by the		
certain Grand Groups, with distinction of Age, Sex,			Census enumerators, with distinction of Sex, Age, and	• .	
ad selected Nativities, and of Color, in 1000 deaths of			Month of Death.		
ncer of the stomach of persons of all known ages.			System, registration, of the State, Deaths reported by, in	LIII	65
mach, Deaths from Cancer of, in the United States and	XLII	579-587	New Jersey, also those reported by the Census enumer-		
each Grand Group, with distinction of Age, Sex, and			ators, with distinction of Sex, Age, and Month of Death.		
ativity, and of Color in certain Grand Groups.			T.		
		xciv-	il		1
ide as a cause of death		cviii	Tabes and Scrofula as causes of death	•••••	lxv
mary for States, Groups, Cities, and for Counties of	XIII	1-183	Tetanus and Trismus Nascentium as causes of death		{ 1
,000 population and upward, showing, with distinction					R 1:
Sex and certain Groups of Ages, and of Color in each	1	1	Throat and Tongue, Head, Face and Neck, Abdomen,	XIVI	61'
ate Group, City, and County in which the Colored	1	l	Mouth, Rectum, Upper Extremities, Lower Extremities,	\$	
opplation is 20 per cent. or more of the whole, the living	1	1	and other localities, Deaths from Cancer of, with distinc-	. **	
opulation at the date of the Census, and the Births and		1	tion of Color and Sex, and Cities and Rural Districts.		
eaths during the Census year, with statement of ratios,	-		Trismus Nascentium and Tetanus as causes of death		ξ 1:
eaths during the Census year, with statement of ratios, and also the number of deaths from certain specified					ζ 12
			Typhoid or Enteric Fever as a causes of death	******	ξ X
Alebana					S
Alabama		2–11	U.		
	1	10, 11	Upper Extremities, Lower Extremities, Head, Face and	XLVI	617
Arizona	1				
Arkansas		12-17 16-19	Neck, Abdomen, Mouth, Tongue and Throat, Rectum, and other localities, Deaths from Cancer of, with distinction	•	

	Table.	Page.		Table.	Page.
Urban and Rural Mortality	}	{ xxii- xxvii { lxxxix,	Wales and England in 1876-'80, and Massachusetts and New Jersey during the Census year, Mortality of Mean After-Life Time (Expectation of Life) at various ages, based upon.	LXVI	789-791
Uterus, Deaths from Cancer of, in the United States and in certain Grand Groups, with distinction of Age, se- lected Nativities, and Color, in 1000 deaths of cancer of the uterus of persons of all known ages. Uterus, Deaths from Cancer of, in the United States and	L	629-631 609-615	White and Colored.—Births, and Deaths in Infancy, with statement of ratios in the United States and in Grand Groups, also in States and State Groups, with distinc- tion of Rural and Cities, and, in certain Grand Groups, of White and Colored.	LI	633-647
in each Grand Group, with distinction of Age and Nativity, and of Color in certain Grand Groups.  V.		=00 =01	White Population of the United States, at the Census of 1880, Ages, with Sex at each period of life, of, with the number of certain ages and groups of ages in 100,000 of all ages, by States and Territories.	LVIII	691–707
Various ages, Mean After Life Time (Expectation of Life) at, based upon the Mortality of England and Wales in 1876–'80, and of Massachusetts and New Jersey during Census year.  Venereal diseases and Alcoholism as causes of death	LXVI	789-791	Women, Number of, from 15 to 49 years of age, Population and Births, in the United States and in each Grand Group, with distinction of Sex and, in certain cases, of Color; ratios of Births to population, and also to women	LIV	657–659
W. Wales and England, Approximate Table showing numbers surviving at each age $(1x)$ for, and for Massachu-	LXV	789-791	of the ages specified.  Women, Number of, from 15 to 49 years of age, Population, and Births, in the United States and in each State and State Group, with distinction of Sex and, in certain	ĽΫ	661-66\$
setts and New Jersey, as computed by Mr. Humphrey's method, with distinction of Sex.	,		cases, of Color; ratios of Births to population, and also to women of the ages specified.		•